

ONIX[®]

Brick 2023





**GO
GREEN**


**98%
RECYCLED
GLASS**

Symbol

Product

 Minimum Order | 1 Module

 Minimum Order | 1 Box


 Sales Unit | Square Meters

 Mosaic Support | Dots


 Mosaic Support | Mesh


 New Article

 Gold 24k

 Metals

 Stoneglass Mohs 9

 Matte & Seda Antislip

 Satin

 Iridescent

 Luminescent

Packing

 Packing 10 | Brick

Index

Information

002 Symbol

003 Index

012 Technical Information

14 Technical Characteristics

14 Suitability Guide

15 Packing List

15 Important Advice

016 ONIX

Collections

004 Brick

06 Brick Vanguard


10 Brick Cotto

Brick




25x50 mm - 1"x2"
 P10
 m²
 7


Brick Vanguard




Brick Arrecife Grey N
 2005936 | 380




Brick Bora N
 2005938 | 380



Brick Arrecife Blue N
 2005937 | 380



Brick Dasha N
 2005931 | 380



Brick Savu N
 2005934 | 380



Brick Cassian N
 2005929 | 422




Brick Zhoe N
 2005927 | 422

Private Villa | Brick Caribu.

Brick Vanguard



Brick Forest Blue
2005933 | 380 N



Brick Iria
2005932 | 380 N



Brick Zaira
2005928 | 422 N



Brick Caribu
2005935 | 380 N



Brick Delbin
2005930 | 422 N



Brick Kara Beige
2005939 | 422 N

25x50 mm - 1"x2"
P10
m²
N



Private Villa | Brick Zaira.



25x50 mm - 1"x2"

P10



m²




Brick Cotto



Brick Bittor
2005925 | 380



Brick Yadel
2005924 | 380



Brick Carel
2005923 | 380



Brick Gaia
2005922 | 380



Brick Eiden
2005906 | 380



Brick Dara
2005926 | 422

Private Villa | Brick Yadel.

Technical Information

Technical Characteristics

Test UNE-EN-ISO 10545-3	Test UNE-EN-ISO 101-92=101	Test UNE-EN-ISO 10545-9	Test UNE-EN-ISO 10545-12	Test UNE-EN-ISO 10545-13:1998 Resistance to chemical attack			
Water Absorption	Surface hardness. Mohs	Resistance to thermal shocks	Frost Resistance	Domestic products	Pool water additives	Low acid and alkalins	High acid and alkalins
None	4	Resistant	Resistant	GA	GA	GLA	GHA

Test UNE-EN-ISO 10545-14	Test UNE-EN-ISO 10545-11=1997	DIN 51094	DCOF	DIN 51130:2004	DIN 51097	Test UNE-ENV 12633:2003 (CTE)
Resistance to staining	Cracking	Colour Stability on exposure to light and UV rays.	Wet Dynamic Coefficient of Friction ANSI A 137.1 Standard	SLIP Resistance wearing shoes	SLIP Resistance in bare feet	Anti skid coefficient, suitable for outdoor use and swimming pools.
Class 5	Resistant	Resistant				

Packing List

P10 Brick

Sheet Hoja	5,5 mm - 0.216" Thickness	260x312 mm - 10.25"x 12.30"	0,98 kg - 2.16 lb
Box Caja	10 Sheets	0,81 m ² - 8.71 sqft	9,79 kg - 21.58 lb
Pallet Palet	108 Boxes	87,48 m ² - 941.62 sqft	1057,62 kg - 2331.65 lb
Euro Pallet Euro Palet	72 Boxes	58,32 m ² - 627.75 sqft	712,08 kg - 1569.86 lb

Suitability Guide

Format	Series	References	Wall	Floor	Wet Areas	Pools	Materials
Brick	Brick Vanguard	All Products	Int / Ext	No	Yes	Yes	Glass
	Brick Cotto	All Products	Int / Ext	Residential	Yes	Yes	Glass

Important Advice

Penta Glass Mosaic

This Artisan-edge glass mosaic is made with recycled glass pieces and may include irregular edges, rustic appearances, minimal imperfections or slight variations in sizing and squareness. These characteristics are inherent to this product due to the manufacturing process. The slight size or shape variations may affect the grout joint appearance, further enhancing the natural aspect of this product. Use constitutes acceptance.

El aspecto artesanal del mosaico vítreo en formato PENTA es una cualidad inherente en estos productos por el proceso de fabricación. Las teselas podrían incluir ciertas irregularidades y mínimas imperfecciones en el tamaño aportando cierta apariencia rústica más alejada de la perfección cuadrículada. Además la reducción de tamaño y variaciones de tono pueden afectar al aspecto del rejunte y modificar la apariencia natural de estos mosaicos. El uso constituye aceptación de esta advertencia.

Onix Glass Mosaic

All ONIX 98% recycled glass mosaics series are made of molten glass. Molten glass characteristics may include irregular edges and small variations in size. These characteristics are inherent to the product and to the standard production. The small size and shape variations can affect the grout joint appearance and enhance the natural aspect of these products. Use constitutes acceptance.

Todas las series ONIX con un 98% de vidrio reciclado están hechas con vidrio molido. Esta materia posee unas características particulares que podría ocasionar ligeras irregularidades y variaciones de tamaño en las fichas. Es una cualidad inherente al producto y a la producción estándar. La reducción de tamaño y variaciones de tono pueden afectar al aspecto del rejunte y modificar la apariencia natural de estos mosaicos. El uso constituye aceptación de esta advertencia.



ONIX

ONIX

ONIX CERÁMICA, S.L.
AV. Real de Extremadura 23
12200 Onda (Castellón – SPAIN)
T. +34 964 776 287
F. +34 964 776 284
M. onix@onixmosaico.com

ONIX USA

ONIX USA, LLC
9450 NW 12 Street
33172 Miami (USA)
P. 305 599 3153
F. 305 513 4634
M. onix.usa@onixmosaic.com



<https://www.instagram.com/onixmosaico/>



<https://www.facebook.com/onixmosaico/>



<https://www.pinterest.es/onixmosaico/>



<https://www.linkedin.com/company/onixmosaico/>



<https://www.youtube.com/c/ONIXMOSAICO>

In the interest of maintaining constant improvements, ONIX reserves the right to delete and amend, either totally or partially, any of the styles, colours, shapes, sizes, references and other technical specifications contained in this catalogue.

Due to the technical process of reproduction, colours printed are approximate, not exact. The photographs included in this catalogue are not contractual. The interpreting of the pictures will be according to designer's judgment. All the information and texts included in the catalogue keep under the reservation of possible errors. The catalogue is only an informative tool.

Para la mejora de nuestros productos, ONIX se reserva el derecho de anular o modificar cualquiera de los modelos, colores, formatos, referencias y especificaciones técnicas contenidas en este catálogo.

Debido a los procesos técnicos de reproducción, los colores son aproximados, no exactos. Las fotografías expuestas en este catálogo no tienen un carácter contractual. La interpretación de las ilustraciones están en función del criterio del creador. Todos los textos e información que aparece en el catálogo quedan bajo la reserva de posibles errores. Este catálogo es una herramienta informativa.

Pour améliorer ses produits, ONIX se réserve le droit d'annuler ou de modifier tout modèle, couleur, format, référence ou spécification technique figurant dans ce catalogue.

En raison des procédés techniques de reproduction, les couleurs sont approchantes et non exactes. Les photographies présentées dans ce catalogue ne sont pas contractuelles. L'interprétation des illustrations sera selon le critère du créateur. Tous les textes et information de ce catalogue restent sous réserve de possible erreurs. Ce catalogue est un outil informatif.

onixmosaico.com